Refine Search

Search Results -

Term	Documents
(8 NOT 9).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5
(L8 NOT L9).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

Database:

.10			00000000 999	Refine Search
	Recall Text 🗢	Clear		Interrupt

Search History

DATE: Wednesday, June 07, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGI OP=AND	PB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLU	/R=YES;	result set
<u>L10</u>	L8 not L9	5	<u>L10</u>
<u>L9</u>	L8 and (Tie-2 or CD31 or c-kit)	23	<u>L9</u>
<u>L8</u>	L4 not (L7 or L6)	28	<u>L8</u>
<u>L7</u>	(L3 or L5) and (eye or ocular)	17	<u>L7</u>
<u>L6</u>	(L3 or L5) and (antiangiogenic or angiostatic or TrpRS)	5	<u>L6</u>
<u>L5</u>	L4 not L3	31	<u>L5</u>
<u>L4</u>	(lineage adj negative) same (HSC or(hematopoietic adj stem))	45	<u>L4</u>
<u>L3</u>	(lineage adj negative) adj (HSC or(hematopoietic adj stem))	14	<u>L3</u>
<u>L2</u>	L1 and (anti-angiogenic or TrpRS)	10	<u>L2</u>
<u>L1</u>	Friedlander-Martin.in.	21	<u>L1</u>

END OF SEARCH HISTORY



PALM INTRANET

Day: Wednesday *

Date: 6/7/2006 Time: 09:23:46

Inventor Name Search

Enter the first few letters of the Inventor's Last Name.

Additionally, enter the first few letters of the Inventor's First name.

Last Name	First Name	
Friedlander	Martin	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Wednesday

Date: 6/7/2006 Time: 09:23:46

Inventor Name Search

Enter the first few letters of the Inventor's Last Name.

Additionally, enter the first few letters of the Inventor's First name.

Last Name	First Name	
Silva	Karen	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



PALM INTRANET

Day: Wednesday

Date: 6/7/2006 Time: 09:23:46

Inventor Name Search

Enter the first few letters of the Inventor's Last Name.

Additionally, enter the first few letters of the Inventor's First name.

Last Name	First Name	
Otani	Atsushi	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

```
Welcome to DialogClassic Web(tm)
Dialog level 05.11.05D
Last logoff: 02jun06 12:44:57
Logon file001 07jun06 09:26:19
          *** ANNOUNCEMENTS ***
***Regulatory Affairs Journals (File 183)
NEW FILES RELEASED
 ***Index Chemicus (File 302)
 ***Inspec (File 202)
 ***File 141, Reader's Guide Abstracts
 RESUMED UPDATING
  ***File 516, D&B--Dun's Market Identifiers
 RELOADS COMPLETED
  ***File 523, D&B European Dun's Market Identifiers
  *** MEDLINE has been reloaded with the 2006 MeSH (Files 154 & 155)
  ***File 531, American Business Directory
  *** The 2005 reload of the CLAIMS files (Files 340, 341, 942)
  is now available online.
                                ***
   DATABASES REMOVED
    Chemical Structure Searching now available in Prous Science Drug
   ***File 468, Public Opinion Online (POLL)
   Data Report (F452), Prous Science Drugs of the Future (F453),
   IMS R&D Focus (F445/955), Pharmaprojects (F128/928), Beilstein
    Facts (F390), Derwent Chemistry Resource (F355) and Index Chemicus
     >>>For the latest news about Dialog products, services, content<<<
    (File 302).
     >>>and events, please visit What's New from Dialog at <<<
     >>>http://www.dialog.com/whatsnew/. You can find news about <<
     >>>a specific database by entering HELP NEWS <file number>.<<
     >>>Contact Dialog Customer Services to re-activate it.
     >>>PROFILE is in a suspended state.
            1:ERIC 1966-2006/Apr (c) format only 2006 Dialog
      File
            Set Items Description
                _____
      Cost is in DialUnits
              07jun06 09:26:33 User259876 Session D883.1
       в 155,159,5,73
                   $0.81 0.232 DialUnits File1
            $0.81 Estimated cost File1
            $0.05 INTERNET
            $0.86 Estimated cost this search
                                                  0.232 DialUnits
             $0.86 Estimated total session cost
        SYSTEM:OS - DIALOG OneSearch
          File 155:MEDLINE(R) 1951-2006/Jun 06
                 (c) format only 2006 Dialog
        for information about recent updates added to MEDLINE.
         *File 155: Please see HELP NEWS 154
           File 159:Cancerlit 1975-2002/Oct
```

```
(c) format only 2002 Dialog
*File 159: Cancerlit is no longer updating.
Please see HELP NEWS159.
        5:Biosis Previews(R) 1969-2006/Jun W1
         (c) 2006 The Thomson Corporation
  File 73:EMBASE 1974-2006/Jun 07
         (c) 2006 Elsevier Science B.V.
                 Description
      Set Items
                  _____
      ___ ___
?
S (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM))
                 LINEAGE
          107892
                 NEGATIVE
         1732762
            9279 HSC
          185383 HEMATOPOIETIC
          457596 STEM
           97650 HEMATOPOIETIC(W)STEM
             187 (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W)
      S1
                  STEM))
?
S S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
             187 S1
            10356 ANTIANGIOGENIC
             1340 ANGIOSTATIC
              196 TRPRS
                0 S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
       S2
 ?
                 Description
         Items
                 (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM-
           187
 S1
              ))
                 S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
 S2
 ?
 S S1 AND (EYE OR OCULAR)
              187 S1
           540361 EYE
           202848 OCULAR
                5 S1 AND (EYE OR OCULAR)
       S3
  ?
  RD
                       (unique items)
                4 RD
        s4
  T S4/3, K/ALL
                (Item 1 from file: 5)
    4/3,K/1
                  5:Biosis Previews(R)
  DIALOG(R)File
  (c) 2006 The Thomson Corporation. All rts. reserv.
               BIOSIS NO.: 200600055087
  0015709692
   Adult bone marrow-derived progenitor cells promote vascular rescue in a
   mouse model of oxygen-induced retinopathy
  AUTHOR: Banin E (Reprint); Ritter M R; Dorrell M I; Aguilar E; Moreno S K;
    Friedlander M
```

JOURNAL: IOVS 46 (Suppl. S): p3246 2005 2005 CONFERENCE/MEETING: Annual Meeting of the

Association-for-Research-in-Vision-and-Ophthalmology Ft Lauderdale, FL,

USA May 01 -05, 2005; 20050501 SPONSOR: Assoc Res Vis & Ophthalmol

ISSN: 0146-0404

DOCUMENT TYPE: Meeting; Meeting Poster

RECORD TYPE: Abstract LANGUAGE: English

...ABSTRACT: mice were intravitreally injected with PBS, 1-2 x 10(5) BM-derived Lineage negative hematopoietic stem cells (Lin-HSCs) or CD31, 34 and 11b-negative cells (CD-). The mice were exposed... DESCRIPTORS:

...DISEASES: eye disease, etiology...

...vascular disease, eye disease

4/3,K/2 (Item 2 from file: 5)

DIALOG(R)File 5:Biosis Previews(R)

(c) 2006 The Thomson Corporation. All rts. reserv.

0015606912 BIOSIS NO.: 200510301412

Topical application of BM-derived stem cells enhances the repair of corneal injuries

AUTHOR: Gallazzi A (Reprint); Ghinelli E; Carito G; Isacchi G; Scadden D T AUTHOR ADDRESS: Harvard Univ, Sch Med, Cambridge, MA 02138 USA**USA JOURNAL: IOVS 45 (Suppl. 1): pU557 APR 2004 2004

CONFERENCE/MEETING: Annual Meeting of the

Association-for-Research-in-Vision-and-Ophthalmology Ft Lauderdale, FL,

USA April 24 -29, 2004; 20040424 SPONSOR: Assoc Res Vis & Ophthalmol

ISSN: 0146-0404

DOCUMENT TYPE: Meeting; Meeting Poster

RECORD TYPE: Abstract LANGUAGE: English

...ABSTRACT: tissue injuries. In the ophthalmic field theuse of autologous cells in the treatment of several ocular diseases has involved, not always successfully, limbal stem cells therapy. This approach, however, involve surgery...

...eyes under anesthesia with ethanol 20% for 90 secs and corneal epithelium was scraped. Hematopoietic Lineage negative cells were selected from whole bone marrow (BM) of male donors, suspended in PBS and applied topically in one eye only (experimental group) while the fellow eye was treated with PBS eye drops (control group). Animals were daily evaluated for corneal re-epithelization grading, transparency and other...

...Y-chromosome DNA, and its absence in the control group.Conclusions: Our data suggest that hematopoietic stem cells are capable of enhancing the in vivo healing rate of injured corneas, and of...
DESCRIPTORS:

...ORGANISMS: PARTS ETC: eye -...DISEASES: injury, eye disease

4/3,K/3 (Item 3 from file: 5)

DIALOG(R)File 5:Biosis Previews(R) (c) 2006 The Thomson Corporation. All rts. reserv. 0015078586 BIOSIS NO.: 200400459815 Rescue of retinal degeneration by intravitreally injected adult bone marrow-derived lineage-negative hematopoietic stem cells AUTHOR: Otani Atsushi; Dorrell Michael Ian; Kinder Karen; Moreno Stacey K; Nusinowitz Steven; Banin Eyal; Heckenlively John; Friedlander Martin (Reprint) AUTHOR ADDRESS: Dept Cell Biol, Scripps Res Inst, 10550 N Torrey Pines Rd, La Jolla, CA, 92037, USA**USA AUTHOR E-MAIL ADDRESS: friedlan@scripps.edu JOURNAL: Journal of Clinical Investigation 114 (6): p765-774 September 2004 2004 MEDIUM: print ISSN: 0021-9738 DOCUMENT TYPE: Article RECORD TYPE: Abstract LANGUAGE: English Rescue of retinal degeneration by intravitreally injected adult bone marrow-derived lineage-negative hematopoietic ... ABSTRACT: whenever a fraction of mouse or human adult bone marrow-derived stem cells (lineage-negative hematopoietic stem cells (Lin- HSCs)) containing endothelial precursors stabilizes and rescues retinal blood vessels that would ordinarily... DESCRIPTORS: ...DISEASES: eye disease, genetic disease, genetics, therapy METHODS & EQUIPMENT: intravitreal adult bone marrow-derived lineage-negative hematopoietic stem cell injection... 4/3,K/4 (Item 1 from file: 73) DIALOG(R) File 73:EMBASE (c) 2006 Elsevier Science B.V. All rts. reserv. 12910451 EMBASE No: 2004517091 Bone marrow-derived stem cells preserve cone vision in retinitis pigmentosa Smith L.E.H. L.E.H. Smith, Department of Ophthalmology, Children's Hospital, 300 Longwood Avenue, Boston, MA 02115 United States AUTHOR EMAIL: lois.smith@childrens.harvard.edu Journal of Clinical Investigation (J. CLIN. INVEST.) (United States) 2004, 114/6 (755-757) CODEN: JCINA ISSN: 0021-9738 DOCUMENT TYPE: Journal ; Review LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH NUMBER OF REFERENCES: 18 ...presumed metabolic consequence of photoreceptor degeneration. A new study shows that autologous bone marrow-derived lineage - negative hematopoietic stem cells, which incorporate into the degenerating blood vessels in two murine models of retinitis pigmentosa... MEDICAL DESCRIPTORS: autologous hematopoietic stem cell transplantation; pathophysiology; retina cone; eye protection; human; nonhuman; review; priority journal

```
Set
         Items
                 Description
S1
           187
                 (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM-
              ))
s2
             0
                 S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
s_3
             5
                 S1 AND (EYE OR OCULAR)
             4
S4
                     (unique items)
?
S (LIN (W) NEGATIVE (W) HSC?)
             8727
                   LIN
          1732762 NEGATIVE
            22546 HSC?
       S5
                   (LIN (W) NEGATIVE (W) HSC?)
  (LIN-HSC)
       S6
                   (LIN-HSC)
?
Set
        Items
                 Description
           187
                 (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM-
s1
             ))
S2
             0
                 S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
s3
             5
                 S1 AND (EYE OR OCULAR)
S4
             4
                 RD (unique items)
S5
             0
                 (LIN (W) NEGATIVE (W) HSC?)
56
                 (LIN-HSC)
?
S (BONE (W) MARROW) (S) (STEM (W) CELLS)
Processing
         1371337
                  BONE
          538655 MARROW
          457596 STEM
          5836352
                   CELLS
           28577
                  (BONE (W) MARROW) (S) (STEM (W) CELLS)
S S7 (S) ((LINEAGE (W) NEGATIVE) OR LIN-)
           28577
                  s7
          107892 LINEAGE
         1732762
                  NEGATIVE
                  LINEAGE (W) NEGATIVE
                  LIN-
               1
      S8
             195
                  S7 (S) ((LINEAGE (W) NEGATIVE) OR LIN-)
S S8 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
             -1-95---S8-
           10356 ANTIANGIOGENIC
            1340 ANGIOSTATIC
             196 TRPRS
      S9
                 S8 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
?
Set
        Items
                Description
S1
          187
                (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM-
```

```
))
S2
                 S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
s3
                 S1 AND (EYE OR OCULAR)
s4
             4
                     (unique items)
S5
                 (LIN (W) NEGATIVE (W) HSC?)
             0
S6
             0
                 (LIN-HSC)
S7
         28577
                 (BONE (W) MARROW) (S) (STEM (W) CELLS)
58
          195
                 S7 (S) ((LINEAGE (W) NEGATIVE) OR LIN-)
S9
                 S8 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
S S8 AND (EYE OR OCULAR)
              195
                  S8
           540361
                  EYE
           202848 OCULAR
                5 S8 AND (EYE OR OCULAR)
     S10
?
RD
     S11
                  RD
                       (unique items)
?
T S11/3, K/ALL
  11/3, K/1
                (Item 1 from file: 5)
DIALOG(R) File
                 5:Biosis Previews(R)
(c) 2006 The Thomson Corporation. All rts. reserv.
             BIOSIS NO.: 200600055087
 Adult bone marrow-derived progenitor cells promote vascular rescue in a
 mouse model of oxygen-induced retinopathy
AUTHOR: Banin E (Reprint); Ritter M R; Dorrell M I; Aguilar E; Moreno S K;
  Friedlander M
JOURNAL: IOVS
               46 (Suppl. S): p3246 2005 2005
CONFERENCE/MEETING: Annual Meeting of the
Association-for-Research-in-Vision-and-Ophthalmology Ft Lauderdale, FL,
USA May 01 -05, 2005; 20050501
SPONSOR: Assoc Res Vis & Ophthalmol
ISSN: 0146-0404
DOCUMENT TYPE: Meeting; Meeting Poster
RECORD TYPE: Abstract
LANGUAGE: English
... ABSTRACT: were intravitreally injected with PBS, 1-2 \times 10(5) BM-derived
  Lineage negative hematopoietic stem cells (Lin-HSCs) or CD31, 34 and
  11b-negative cells (CD-). The mice were exposed to...
DESCRIPTORS:
  ...DISEASES:
                eye disease, etiology...
... vascular disease,
                      eve disease
  11/3, K/2
               (Item 2 from file: 5)
DIALOG(R) File
               5:Biosis Previews(R)
(c) 2006 The Thomson Corporation. All rts. reserv.
0015606912
             BIOSIS NO.: 200510301412
 Topical application of BM-derived stem cells enhances the repair of corneal
 injuries
AUTHOR: Gallazzi A (Reprint); Ghinelli E; Carito G; Isacchi G; Scadden D T
```

ÀUTHOR ADDRESS: Harvard Univ, Sch Med, Cambridge, MA 02138 USA**USA JOURNAL: IOVS 45 (Suppl. 1): pU557 APR 2004 2004

CONFERENCE/MEETING: Annual Meeting of the

Association-for-Research-in-Vision-and-Ophthalmology Ft Lauderdale, FL,

USA April 24 -29, 2004; 20040424 SPONSOR: Assoc Res Vis & Ophthalmol

ISSN: 0146-0404

DOCUMENT TYPE: Meeting; Meeting Poster

RECORD TYPE: Abstract LANGUAGE: English

... ABSTRACT: tissue injuries. In the ophthalmic field theuse of autologous cells in the treatment of several ocular diseases has involved, not always successfully, limbal stem cells therapy. This approach, however, involve surgery...

...90 secs and corneal epithelium was scraped. Hematopoietic Lineage negative cells were selected from whole bone marrow (BM) of male donors, suspended in PBS and applied topically in one eye only (experimental group) while the fellow eye was treated with PBS eye drops (control group). Animals were daily evaluated for corneal re-epithelization grading, transparency and other...

...chromosome DNA, and its absence in the control group.Conclusions: Our data suggest that hematopoietic stem cells are capable of enhancing the in vivo healing rate of injured corneas, and of integration... DESCRIPTORS:

...ORGANISMS: PARTS ETC: eye -...DISEASES: injury, eye disease

11/3,K/3 (Item 3 from file: 5)
DIALOG(R)File 5:Biosis Previews(R)

(c) 2006 The Thomson Corporation. All rts. reserv.

0015078586 BIOSIS NO.: 200400459815

Rescue of retinal degeneration by intravitreally injected adult bone marrow-derived lineage-negative hematopoietic stem cells

AUTHOR: Otani Atsushi; Dorrell Michael Ian; Kinder Karen; Moreno Stacey K; Nusinowitz Steven; Banin Eyal; Heckenlively John; Friedlander Martin (Reprint)

AUTHOR ADDRESS: Dept Cell Biol, Scripps Res Inst, 10550 N Torrey Pines Rd, La Jolla, CA, 92037, USA**USA

AUTHOR E-MAIL ADDRESS: friedlan@scripps.edu

JOURNAL: Journal of Clinical Investigation 114 (6): p765-774 September

2004 2004

MEDIUM: print ISSN: 0021-9738

DOCUMENT TYPE: Article RECORD TYPE: Abstract

LANGUAGE: English

Rescue of retinal degeneration by intravitreally injected adult bone marrow-derived lineage-negative hematopoietic stem cells

...ABSTRACT: demonstrate that whenever a fraction of mouse or human adult bone marrow-derived stem cells (lineage - negative hematopoietic stem cells (Lin- HSCs)) containing endothelial precursors stabilizes and rescues retinal blood vessels that would ordinarily completely...
DESCRIPTORS:

...DISEASES: eye disease, genetic disease, genetics, therapy

```
(Item 1 from file: 73)
  11/3, K/4
DIALOG(R) File 73: EMBASE
(c) 2006 Elsevier Science B.V. All rts. reserv.
12910451
             EMBASE No: 2004517091
  Bone marrow-derived stem cells preserve cone vision in retinitis
 pigmentosa
  Smith L.E.H.
  L.E.H. Smith, Department of Ophthalmology, Children's Hospital, 300
  Longwood Avenue, Boston, MA 02115 United States
  AUTHOR EMAIL: lois.smith@childrens.harvard.edu
  Journal of Clinical Investigation ( J. CLIN. INVEST. ) (United States)
2004, 114/6 (755-757)
  CODEN: JCINA
                 ISSN: 0021-9738
  DOCUMENT TYPE: Journal ; Review
  LANGUAGE: ENGLISH
                      SUMMARY LANGUAGE: ENGLISH
  NUMBER OF REFERENCES: 18
  ...vasculature is a presumed metabolic consequence of photoreceptor
degeneration. A new study shows that autologous bone
                                                        marrow -derived
lineage - negative hematopoietic stem
                                          cells , which incorporate into
the degenerating blood vessels in two murine models of retinitis
pigmentosa, rdl...
...prevent cone loss (see the related article beginning on page 765). The
use of autologous bone
                          marrow might avoid problems with rejection while
preserving central cone vision in a wide variety of...
MEDICAL DESCRIPTORS:
autologous hematopoietic stem cell transplantation; pathophysiology; retina
cone; eye protection; human; nonhuman; review; priority journal
Set
        Items
                Description
S1
          187
                (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM-
             ))
S2
            0
                S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
S3
            5
                S1 AND (EYE OR OCULAR)
S4
            4
                RD
                    (unique items)
S5
            0
                (LIN (W) NEGATIVE (W) HSC?)
56
                (LIN-HSC)
S7
        28577
                (BONE (W) MARROW) (S) (STEM (W) CELLS)
S8
          195
                S7 (S) ((LINEAGE (W) NEGATIVE) OR LIN-)
S9
                S8 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
            0
S10
                S8 AND (EYE OR OCULAR)
            5
S11
            4
                RD
                    (unique items)
S S8 AND (TIE-2 OR TEK)
             195 S8
             292 TIE-2
            1200
                 TEK
     S12
               1 S8 AND (TIE-2 OR TEK)
?
```

T S12/3, K/ALL

```
12/3,K/1
                 (Item 1 from file: 5)
 DIALOG(R) File
                 5:Biosis Previews(R)
 (c) 2006 The Thomson Corporation. All rts. reserv.
 0014378981
              BIOSIS NO.: 200300335724
  Ex-Vivo Expansion of SCID-Repopulating Cell Activity under Hypoxic
  Conditions.
 AUTHOR: Danet Guenahel H (Reprint); Luongo Jennifer L (Reprint); Pan Yi
   (Reprint); Bonnet Dominique (Reprint); Simon M Celeste (Reprint)
 AUTHOR ADDRESS: Abramson Family Cancer Research Institute, University of
   Pennsylvania, Philadelphia, PA, USA**USA
 JOURNAL: Blood 100 (11): pAbstract No. 1124 November 16, 2002 2002
 MEDIUM: print
 CONFERENCE/MEETING: 44th Annual Meeting of the American Society of
 Hematology Philadelphia, PA, USA December 06-10, 2002; 20021206
 SPONSOR: American Society of Hematology
 ISSN: 0006-4971
 DOCUMENT TYPE: Meeting; Meeting Poster; Meeting Abstract
 RECORD TYPE: Abstract
 LANGUAGE: English
 ... ABSTRACT: the functional and molecular effects of hypoxia on cultured
   human hematopoietic progenitors and stem cells. Lineage - negative
   (Lin-) CD34+ or CD34+CD38- cells were isolated from normal adult BM and
   cultured for ...
 ...freshly isolated Lin-CD34+CD38- cells (1 SRC in 900 cells) indicating
   that human hematopoietic stem
                                    cells can be sustained and even
   expanded in vitro under severe hypoxic conditions. We also characterized
   . . .
 DESCRIPTORS:
   CHEMICALS & BIOCHEMICALS:
                               ... Tie-2
 ?
 Set
         Items
                 Description
 S1
           187
                 (LINEAGE (W) NEGATIVE) (S) (HSC OR (HEMATOPOIETIC (W) STEM-
              ))
 S2
             0
                 S1 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
                 S1 AND (EYE OR OCULAR)
 S3
             5
 S4
             4
                 RD
                     (unique items)
 S5
             0
                 (LIN (W) NEGATIVE (W) HSC?)
 S 6
             0
                 (LIN-HSC)
 S7
         28577
                 (BONE (W) MARROW) (S) (STEM (W) CELLS)
 S8
           195
                 S7 (S) ((LINEAGE (W) NEGATIVE) OR LIN-)
 S9
             0
                 S8 AND (ANTIANGIOGENIC OR ANGIOSTATIC OR TRPRS)
 S10
             5
                 S8 AND (EYE OR OCULAR)
 S11
             4
                 RD
                    (unique items)
 S12
             1
                 S8 AND (TIE-2 OR TEK)
COST
        07jun06 09:37:57 User259876 Session D883.2
                      1.526 DialUnits File155
             $5.19
            Estimated cost File155
             $2.46
                     0.782 DialUnits File159
      $2.46 Estimated cost File159
            $10.04
                      1.702 DialUnits File5
                $1.12   7 Type(s) in Format 95 (KWIC)
             $1.12 7 Types
    $11.16 Estimated cost File5
```

```
$12.18 1.088 DialUnits File73
$6.20 2 Type(s) in Format 3
$6.20 2 Types

$18.38 Estimated cost File73
OneSearch, 4 files, 5.097 DialUnits FileOS
$3.20 INTERNET

$40.39 Estimated cost this search
$41.25 Estimated total session cost 5.329 DialUnits
```

Return to logon page!